METHODS AND MODELS OF MARINE OPTICS SOURCES AND SINKS

B. Greg Mitchell

Scripps Institution of Oceanography
Marine Research Division 0218
University of California, San Diego
La Jolla, CA 92093-0218
e-mail: gmitchell@ucsd.edu

Phone: 619 534-2687 Fax: 619 822-0562

Award #N0001491J1186

LONG-TERM GOALS

The long-term goal of the principal investigator is to improve our understanding of marine photosynthesis and optical variability in the oceans. Specifically, an understanding of the mechanisms causing regional differentiation in bio-optical relationships and photosynthetic models is desired. This requires methods for measurement of various optical components and the rates of production and loss of its components. The research emphasis is to understand the bulk inherent and apparent optical properties through study of constituent components to develop detailed parameterization for optical models by indirect optical techniques that predict biomass and photosynthetic adaptation. Laboratory experiments and field observations in diverse ecosystems will lead to an understanding of the diversity of bio-optical relationships and a fundamental understanding of that variability.

OBJECTIVES

Six separate objectives were pursued in FY-97. These included (i) laboratory studies of polar phytoplankton photophysiology; (ii) study of xanthophyll cycling in *Phaeocystis antarctica*; (iii) development and refinement of methods to estimate absorption by dissolved organic material in seawater; (iv) integration of an *in situ* inherent optical property profiling system (AC-9) to the CalCOFI bio-optics program; (v) development of model parameterizations and integration of observation and modeling approaches; and (vi) implementation of a spectral microphotometer to study optical properties of individual ocean phytoplankton.

APPROACH

For objective (i) *Phaeocystis* sp. was grown under light-limited semi-continuous culture. Studies of photophysiological parameters were made at steady state. For objective (ii) we tested whether *Phaeocystis* cultures demonstrated xanthophy cycling between diatoxanthin and diadinoxanthin at short time scales. Objective (iii) included development of improved methods for estimation of

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 1997 2. REPORT		2. REPORT TYPE	REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Methods and Models of Marine Optics Sources and Sinks				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, San Diego, Scripps Institution of Oceanography, Marine Research Division, La Jolla, CA,92093				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO	OTES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	4		

Report Documentation Page

Form Approved OMB No. 0704-0188 soluble absorption (a_s) during CalCOFI cruises. We participated in eight CalCOFI cruises during which we carried out studies of inherent and apparent optical properties in Southern California coastal waters and adjacent waters of the California current. As an enhancement of our existing bio-optical profiling system, we integrated two AC-9 instruments (objective iv) and we used our data set to develop parameterizations for absorption coefficients and evaluated our parameterizations using Hydrolight and our observational data (objective v). For objective (vi) we initiated studies with a spectral microphotometer on the use of absorption cross-sections for objective identification of kelp zoospores (Graham and Mitchell 1998) and for individual phytoplankton (Hewes et al. 1998).

WORK COMPLETED

Two manuscripts on the photophysiology of *Phaeocystis* sp. were submitted. The work included use of a fluorescence excitation of chlorophyll-a as a proxy for phytoplankton photosynthetic absorption (Sosik and Mitchell 1995) and studies of xanthophyll cycling in response to rapid light changes (objective ii). A large data set of absorption and fluorescence of soluble matter (cDOM) was collected (objective iii). For objective iv, we completed 8 CalCOFI cruises, collecting a large data set of IOP and AOP *in situ* (AC-9, MER 2040) supported by HPLC pigments and estimates of particulate and soluble absorption (a_p, a_s) for water samples. These data were used to develop advanced parameterizations for bio-optical models which were compared to previous parameterizations (Morel 1988, 1991) and evaluated the implications for optical modeling using Hydrolight (objective v). The bio-optical parameterizations in Hydrolight were published in Mitchell et al. 1996. A study of the phycobiliprotein absorption and fluorescence within the dinoflagellate *Dinophysis* sp. was completed using the spectral microphotometer.

RESULTS

Our work on the photophysiology of phytoplankton continues to guide our concepts of photosynthetic modeling and model parameterization. ONR support has led to results on the fundamental optical physiology of phytoplankton, which has shown that the chl a-specific absorption coefficient and the quantum yield of photosynthesis are dependent not only on the light environment but also on the nutrient and temperature environment (Mitchell and Kiefer 1988; Sosik and Mitchell 1991; Sosik and Mitchell 1994). In FY-97 we completed studies on steady state light limitation as well as short-term light transition for the polar blooming prymnesiophyte *Phaeocystis* sp. (Moisan and Mitchell 1998). We found significant differences in the Morel (1988, 1991) parameterization for total absorption in the Hydrolight model (Mobley 1994) and in our estimates from direct laboratory measurements (Mitchell et al. 1996). The study of *Dinophysis* phycoerythrin raises interesting questions about the evolution of the genus (Hewes et al. 1998). Results have been published or are submitted for each of the objectives of the project.

IMPACT

Our approach is to make both bulk optical measurements as well as detailed measurements of the constituent components both in the laboratory and field studies. Through this compartmentalization approach, we are able to develop improved optical parameterizations for both phytoplankton growth and ocean optical models. Our methods, ranging from detailed spectral microphotometry to laboratory methods for particle and soluble absorption estimates to processing schemes for AC9 and spectral reflection profilers, have been used by numerous other ONR sponsored scientists.

TRANSITIONS

None

RELATED PROJECTS

For CalCOFI cruises, we continue to collaborate with ONR PIs Ralf Goericke on his project to determine HPLC pigments from numerous cruises, and Loren Haury on studies of nutrient transients during CalCOFI 9610. Dariusz Stramski and Piotr Flatau are co investigators on our Japan/East Sea DRI funding which was recently awarded.

REFERENCES

- Hewes, C.D., B.G. Mitchell, T.A. Moisan, M. Vernet, and F.M.H. Reid. (1998) The phycobilin signatures of chloroplasts from three dinoflagellate species: A microanalytical study of *Dinophysis caudata*, *D. fortii and d. acummunata*. In Preparation
- Graham, M.H. and B.G Mitchell, (1998) A spectral microphotometric method for discriminating between Macrocystis pyrifera and Pterygophora californica zoospores (Laminariales: Phaeophyceae) 27 pgs. Submitted to Journal of Phycology.
- Mitchell, B.G., P.J. Flatau, M. Kahru and C. Mobley. (1996) Ocean optics in the California current: Observations and Theory. Conference Proceeding Halifax, Nova Scotia, SPIE, 2963: 714-724.
- Mitchell, B.G. and DA Kiefer. 1988. Chlorophyll a specific absorption and fluorescence excitation spectra for light-limited phytoplankton. Deep-Sea Res., 35(5): 639-663.
- Moisan, T.A. and B.G. Mitchell. 1998. Photophysiological adaptation of *Phaeocystis antarctica* Karsten under PAR light limitation. Submitted to Limnol.&Oceanogr.
- Moisan, T.A., M. Olaizola and B.G. Mitchell. 1998. Xanthophyll cycling in *Phaeocystis antarctica*: Changes in cellular fluorescence, submitted Marine Ecology Progress Series.
- Mobley, C.D. (1994) Light and Water. p.592 pp Academic Press, New York,
- Morel, A. (1988) Optical modeling of the upper ocean in relation to its biogenous matter content (case I waters). *J. Geophys. Res.* 93: 10749-10768
- Morel, A. (1991) Optics of marine particles and marine optics.(ed Demers, S.) IN: *Particle Analysis in Oceanography* 141-188 Springer-Verlag, Berlin,
- Sosik, M. and B.G. Mitchell. 1995. Light absorption by phytoplankton, photosynthetic pigments, and detritus in the California Current System. Deep-Sea Research, 42(10): 1714-1748.

Sosik, H.M. & Mitchell, B.G. (1994) The effects of temperature on growth, light absorption, and quantum yield in *Dunalliela tertiolecta* (chlorophyceae). *J. Phycol. 30*: 833-840 Sosik, H.M. and B.G. Mitchell. 1991. Absorption, fluorescence and quantum yield for growth in nitrogen-limited Dunalliella tertiolecta. Limnology and Oceanography, 36(5): 910-922.